



#### **KVM-1800HM Series**

### 1port/4ports/ 8ports/16ports 1U rack mount 18.5" LED KVM drawer



#### **Main features**

- « 1U rack mount 18.5" LED KVM switch with touch pad+Mouse +104 Mechanical mute Keyboard
- « Supports front USB for keyboard/mouse
- « Support USB+VGA local console
- « Excellent video effects, the best resolution is up to 1920\*1080@ 75HZ.
- « PS/2 keyboard and mouse are connected to control computer.

#### Introduction

- « Withdrawing installation design, the length can be adjusted to fit the rack space.
- « Humanized design, can be installed and removed by only one person , which improves the efficiency of the administrator.
- « To switch the host computer though the hotkey or OSD menu, which can manage up to 512 computers.
- « Password security protection, only authorized users can view and manage on-line computer.
- « Support a variety of brand industrial computer and the sever, eg: EVOC / Lenovo / IBM / DELL / HP/ SUN, ect .
- « Support various operating system: Window XP, 7 /8 / 10 , Microsoft, Linux, Unix, etc.



## **Specification**

Model	KVM-1801HM	KVM-1804HM	KVM-1808HM	KVM-1816HM	
Computer connect	Direct 1	Direct 4	Direct 8	Direct 16	
	Max:1	Max : 128	Max : 256	Max: 512	
Keyboard	104 Mechanical mute Keyboard				
Mouse	Touchpad				
Switch Mode	Hotkey , OSD Menu				
Switch Scan Time	1-255 second (OSD adjustable)				
	Local console	Keyboard / M	ouse/ Display S/2+1* HDB-15 fe	emale )	
Cable Port	Connector port	1/4/8/16*H	1/ 4 / 8 /16 * HDB-15 female ( Yellow )		
	Power supply 1 * 3 pin AC power supply socket			<b>ket</b>	
Panel	Size	18"5 TFT LED			
	Resolution	1366*768 (1920*1080 optional)		)	
	Max Color 16.7M				
	Brightness	250nit	250nit		
	Contrast ratio	1000:1			
	Pixel Pitch	0.3 x 0.3 mm			
Power input	12V DC input ( AC100-240V 47-63Hz, 35W )optional				
Work environment	Operating Temp	-10℃~60℃	-10℃~60℃		
	Storage Temp	-20℃~70℃	-20℃~70℃		
	Humidity	0%-95%RH	0%-95%RH		
Cabinet Material	high-strength and Anti-corrosive steel plate				
Color	Insulated black (optional)				
For Cabinet	800-1040mm				
Net weight	13KG-17KG				
Gross Weight	17KG-22KG				
Dimension(Lx W x H)	530mm*481.6mm*44mm				
Package (L x W x H)	708mm*608mm*195mm				
Certificate	CE, FCC, RHOS				



KVM-1801HM	1U Rack mount 18.5" TFT LED W/1 port KVM switch, W/ 12V power
	supply, W/PSII&USB cable.
KVM-1804HM	1U Rack mount 18.5" TFT LED W/4 port KVM switch, W/12V power
	supply, W/PSII&USB cable.
KVM-1808HM	1U Rack mount 18.5" TFT LED W/8 port KVM switch, W/ 12V power
	supply, W/PSII&USB cable.
KVM-1816HM	1U Rack mount 18.5" TFT LED W/16 port KVM switch, W/ 12V power
	supply, W/PSII&USB cable.

# IO View



## **Drawing**

