




NETWORK EQUIPMENT



NETWORK CABINET

SEVER RACK




- ★ Professional Network Cabinet manufactory
- ★ Most suitable network solution partner for you

LB Product Generation Process



Raw material



Laser cutting



Notching



Bending



Spot welding



Powder coating



Install glass door




Inspecting



Packing

LB

LB SERIES wall Mount Cabinet



Thickness Options:

0.6/1.0mm
0.8/1.5mm
1.2/2.0mm

Color Options:

RAL 9004(Black) and RAL 7035(Grey)

Font Door Options:

Glas/Mesh/Metal

Accessories Options:

1 fan or 2 fans,wheels and leveling feet
PDU,shelf,cable manager,brush,panel and earthing

	Product code	Product Name	U	Size(W*D*H)(mm)
600*450 Series	LB 6404	19" WALL MOUNT CABINET	4	600*450*280
	LB 6406	19" WALL MOUNT CABINET	6	600*450*350
	LB 6409	19" WALL MOUNT CABINET	9	600*450*500
	LB 6412	19" WALL MOUNT CABINET	12	600*450*650
	LB 6415	19" WALL MOUNT CABINET	15	600*450*750
	LB 6418	19" WALL MOUNT CABINET	18	600*450*940
600*600 Series	LB 6604	19" WALL MOUNT CABINET	4	600*600*280
	LB 6606	19" WALL MOUNT CABINET	6	600*600*350
	LB 6609	19" WALL MOUNT CABINET	9	600*600*500
	LB 6612	19" WALL MOUNT CABINET	12	600*600*650
	LB 6615	19" WALL MOUNT CABINET	15	600*600*750
	LB 6618	19" WALL MOUNT CABINET	18	600*600*940

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Surface Finish:Powder coating
- Knock-off holes for entering cable on top cover, bottom panel and rear panel
- Turning angle of front door is over 180 degrees
- The cabinets can be delivered as disassembled or assembled



LB

LBS SERIES wall Mount Cabinet



	Product code	Product Name	U	Size(W*D*H)(mm)
600*600 Series	LBS 6604	19" WALL MOUNT CABINET	4	600*600*280
	LBS 6606	19" WALL MOUNT CABINET	6	600*600*350
	LBS 6609	19" WALL MOUNT CABINET	9	600*600*500
	LBS 6612	19" WALL MOUNT CABINET	12	600*600*650
	LBS 6615	19" WALL MOUNT CABINET	15	600*600*750
	LBS 6618	19" WALL MOUNT CABINET	18	600*600*900

Thickness Options:

1.0/1.5mm
1.2/1.5mm

Color Options:

RAL 9004(Black) and RAL 7035(Grey)

Font Door Options:

Glas/Mesh/Metal

Accessories Options:

1 fan or 2 fans,wheels and leveling feet
PDU,shelf,cable manager,brush,panel and earthing

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Knock-off holes for entering cable on top cover, bottom panel and rear panel
- Turning angle of front door and swing panel is over 180 degrees, It is convenient to check the equipment from back side.
- The cabinets can be delivered as disassembled or assembled



LB **SV SERIES**
wall Mount Cabinet



	Product code	Product Name	U	Size(W*D*H)(mm)
520*400 Series	SV 5204	19" WALL MOUNT CABINET	4	520*400*200
	SV 5206	19" WALL MOUNT CABINET	6	520*400*350
	SV 5209	19" WALL MOUNT CABINET	9	520*400*450
	SV 5212	19" WALL MOUNT CABINET	12	520*400*600

General Features

- Comply with ANSI/EIARS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Knock-of holes for entering cable on top cover, bottom panel and rear panel
- Turning angle of front door is over 180 degrees
- The cabinets can be delivered as disassembled or assembled

Thickness Options :

1.0/1.5mm
1.2/1.5mm

Color Options:

RAL 9004(Black) and RAL 7035(Grey)

Accessories Options:

1 fan or 2 fans,wheels and leveling feet

Font Door Options:

Glas/Mesh/Metal
PDU,shelf,cable manager,brush,panel and earthing



LB

LB-V SERIES Economic Cabinet



	Product code	Product Name	U	Size(W*D*H)(mm)
530*400 Series	V 5304	19" WALL MOUNT CABINET	4	530*400*240
	V 5306	19" WALL MOUNT CABINET	6	530*400*300
	V 5309	19" WALL MOUNT CABINET	9	530*400*450

General Features

- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Size: 530*400mm
- Thickness Options: 0.6/1.0mm
- Color options: RAL9004(Black)/RAL7035(Grey)
- Front door options: Glass and metal
- Accessories options: fan, Shelf , PDU
- The cabinets can be delivered as disassembled or assembled

General Features

- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Size: 600*450mm
- Thickness Options: 0.8/1.5mm
- Color options: RAL9004(Black)/RAL7035(Grey)
- Front door options: Glass and metal
- Accessories options: fan, Shelf , PDU
- Fully assembled



	Product code	Product Name	U	Size(W*D*H)(mm)
600*450 Series	LBV 6404	GOMETAL 19" WALL MOUNT CABINET	4	600*450*280
	LBV 6406	GOMETAL 19" WALL MOUNT CABINET	6	600*450*350
	LBV 6409	GOMETAL 19" WALL MOUNT CABINET	9	600*450*500
	LBV 6412	GOMETAL 19" WALL MOUNT CABINET	12	600*450*650
	LBV 6415	GOMETAL 19" WALL MOUNT CABINET	15	600*450*750
600*600 Series	LBV 6604	GOMETAL 19" WALL MOUNT CABINET	4	600*600*280
	LBV 6606	GOMETAL 19" WALL MOUNT CABINET	6	600*600*350
	LBV 6609	GOMETAL 19" WALL MOUNT CABINET	9	600*600*500
	LBV 6612	GOMETAL 19" WALL MOUNT CABINET	12	600*600*650
	LBV 6615	GOMETAL 19" WALL MOUNT CABINET	15	600*600*750

LB

GH1 SERIES Data Center Server Rack



- **Thickness Options:** 2.0-1.5-1.2mm
- **Color options:** RAL9004(Black) and RAL7035(Grey)
- **Front door options:** Single vented mesh
- **Rear door options:** Double vented mesh
- **Accessories options:**
Fans,PDU,shelf,cable manager,brush panel

- **Available sizes:**
Height: 18U 22U 24U 27U 32U 37U 42U 47U
Width: 600mm/800mm
Depth: 600mm/800mm/1000mm/1200mm

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- Nine-fold section steel frame
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- 2-fan,4-fan,6-fan modules have the ability to easily connect top of the product
- Material: SPCC Cold Rolled Steel
- Surface Finish:Powder coating
- Knock-off holes for cable on both top cover and bottom panel
- Turning angle of front door is over 180 degrees
- Fully Assembled



- **Thickness Options:** 2.0-1.5-1.2mm
- **Color options:** RAL9004(Black) and RAL7035(Grey)
- **Front door options:** Single vented mesh
- **Rear door options:** Double vented mesh
- **Accessories options:**
Fans,PDU,shelf,cable manager,brush panel

GM 42U SERVER RACK			
Model	Capacity	Width	Depth
GM8842	42U	800mm	800mm
GM8042	42U	800mm	1000mm
GM81242	42U	800mm	1200mm

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- 2-fan,4-fan,6-fan modules have the ability to easily connect top of the product;
- Material: SPCC Cold Rolled Steel
- Surface Finish:Powder coating•Two section removable side panels
- Knock-off holes for entering cable on both top cover and bottom panel
- Turning angle of front door is over 180 degrees
- The cabinets can be delivered as disassembled or assembled



- **Thickness Options:** 2.0-1.5-1.2mm
- **Color options:** RAL7035(Grey)
- **door options:** Front opening door/front and rear opening door, outdoor cabinet specific lock (supports padlock)
- **Rear door options:** Double vented mesh Accessories
- **Available sizes:**
 - Height:** 18U 22U 24U 27U 32U 37U 42U 47U
 - Width:** 600mm/800mm
 - Depth:** 600mm/800mm/1000mm/1200mm

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- 1-Cabinet body,1-air-conditioning,1-floodlight,1-door lock,1-Ground bar,20-screw
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Steel plate+PEF insulation cotton/or (customized sandwich panel 50mm box body large)
- Turning angle of front door is over 180 degrees
- Overall/assembly

LB

GN SERIES
OTHER NETWORK EQUIPMENT



WALL MOUNT TV BRACKET



STANDING TV BRACKET



Outdoor Cabinets



Multimedia podium



Operation Tables



LB

QC before shipping

出货检验记录表																					
产品名称						检验数量		16				出货数量				抽样比例		全检		检验日期	
合同号						GM104/23															
序号	规格型号	SIZE	颜色	尺寸 (宽*高*深)	板厚/立柱	数量	前门/后 门	配 件					外 观	唛 头	照片	判定结果					
							(前门)	立梁	托盘	风机	PDU	脚轮/地脚	表面喷涂均 匀, 无 颗粒、 无凹陷	(产品LOGO、纸 箱 logo、纸箱贴 唛头)							
1	墙壁柜 VL	6u	黑色	600*600*350	0.8/1.5	2	钢化玻璃	4根	1	1 个 欧标塑 料6- 通用孔 PDU		/				☐ 合格	☐ 不合格				
2	墙壁柜 VL	9u	黑色	600*600*500	0.8/1.5	2	钢化玻璃	4根	1			/				☐ 合格	☐ 不合格				
3	墙壁柜 VL	12u	黑色	600*600*650	0.8/1.5	2	钢化玻璃	4根	1			4个脚轮				☐ 合格	☐ 不合格				
4	墙壁柜 VL	15u	黑色	600*600*750	0.8/1.5	2	钢化玻璃	4根	1			4个脚轮				☐ 合格	☐ 不合格				
5	站立柜	18U	黑色	600*600*1000	0.8/1.5	2	钢化玻璃	4根	1			4个脚轮+4 个地角				☐ 合格	☐ 不合格				
6	站立柜	22U	黑色	600*600*1200	0.8/1.5	2	钢化玻璃	4根	1							☐ 合格	☐ 不合格				
7	站立柜	27U	黑色	600*600*1400	0.8/1.5	2	钢化玻璃	4根	1							☐ 合格	☐ 不合格				
8	站立柜	42U	黑色	600*600*2000	0.8/1.5	2	钢化玻璃	4根	2				4个刹车轮 +4个地角				☐ 合格	☐ 不合格			
	搭配一些 比例的 配件																				

