




NETWORK EQUIPMENT



NETWORK CABINET

SERVER RACK



- ★ Professional Network Cabinet manufactory
- ★ Most suitable network solution partner for you

GM Product Generation Process



Raw material



Laser cutting



Notching



Bending



Spot welding



Powder coating




Install glass door



Inspecting



Packing

GM
GM SERIES
wall Mount Cabinet

Thickness Options:

0.6/1.0mm
 0.8/1.5mm
 1.2/2.0mm

Color Options:

RAL 9004(Black) and RAL 7035(Grey)

Font Door Options:

Glas/Mesh/Metal

Accessories Options:

1 fan or 2 fans,wheels and leveling feet
 PDU,shelf,cable manager,brush,panel and earthing

	Product code	Product Name	U	Size(W*D*H)(mm)
600*450 Series	GM 6404	GOMETAL 19" WALL MOUNT CABINET	4	600*450*280
	GM 6406	GOMETAL 19" WALL MOUNT CABINET	6	600*450*350
	GM 6409	GOMETAL 19" WALL MOUNT CABINET	9	600*450*500
	GM 6412	GOMETAL 19" WALL MOUNT CABINET	12	600*450*650
	GM 6415	GOMETAL 19" WALL MOUNT CABINET	15	600*450*750
	GM 6418	GOMETAL 19" WALL MOUNT CABINET	18	600*450*940
600*600 Series	GM 6604	GOMETAL 19" WALL MOUNT CABINET	4	600*600*280
	GM 6606	GOMETAL 19" WALL MOUNT CABINET	6	600*600*350
	GM 6609	GOMETAL 19" WALL MOUNT CABINET	9	600*600*500
	GM 6612	GOMETAL 19" WALL MOUNT CABINET	12	600*600*650
	GM 6615	GOMETAL 19" WALL MOUNT CABINET	15	600*600*750
	GM 6618	GOMETAL 19" WALL MOUNT CABINET	18	600*600*940

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Surface Finish:Powder coating
- Knock-off holes for entering cable on top cover, bottom panel and rear panel
- Turning angle of front door is over 180 degrees
- The cabinets can be delivered as disassembled or assembled

GM **GMS SERIES**
wall Mount Cabinet



	Product code	Product Name	U	Size(W*D*H)(mm)
600*600 Series	GMS 6604	GOMETAL 19" WALL MOUNT CABINET	4	600*600*280
	GMS 6606	GOMETAL 19" WALL MOUNT CABINET	6	600*600*350
	GMS 6609	GOMETAL 19" WALL MOUNT CABINET	9	600*600*500
	GMS 6612	GOMETAL 19" WALL MOUNT CABINET	12	600*600*650
	GMS 6615	GOMETAL 19" WALL MOUNT CABINET	15	600*600*750
	GMS 6618	GOMETAL 19" WALL MOUNT CABINET	18	600*600*900

Thickness Options:

1.0/1.5mm
1.2/1.5mm

Color Options:

RAL 9004(Black) and RAL 7035(Grey)

Font Door Options:

Glas/Mesh/Metal

Accessories Options:

1 fan or 2 fans,wheels and leveling feet
PDU,shelf,cable manager,brush,panel and earthing

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Knock-off holes for entering cable on top cover, bottom panel and rear panel
- Turning angle of front door and swing panel is over 180 degrees, It is convenient to check the equipment from back side.
- The cabinets can be delivered as disassembled or assembled



GM **SV SERIES**
wall Mount Cabinet



	Product code	Product Name	U	Size(W*D*H)(mm)
520*400 Series	SV 5204	GOMETAL 19" WALL MOUNT CABINET	4	520*400*200
	SV 5206	GOMETAL 19" WALL MOUNT CABINET	6	520*400*350
	SV 5209	GOMETAL 19" WALL MOUNT CABINET	9	520*400*450
	SV 5212	GOMETAL 19" WALL MOUNT CABINET	12	520*400*600

General Features

- Comply with ANSI/EIARS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Knock-of holes for entering cable on top cover, bottom panel and rear panel
- Turning angle of front door is over 180 degrees
- The cabinets can be delivered as disassembled or assembled

Thickness Options :

1.0/1.5mm
1.2/1.5mm

Color Options:

RAL 9004(Black) and RAL 7035(Grey)

Accessories Options:

1 fan or 2 fans,wheels and leveling feet

Font Door Options:

Glas/Mesh/Metal
PDU,shelf,cable manager,brush,panel and earthing


GM

GMV SERIES Economic Cabinet



	Product code	Product Name	U	Size(W*D*H)(mm)
530*400 Series	V 5304	GOMETAL 19" WALL MOUNT CABINET	4	530*400*240
	V 5306	GOMETAL 19" WALL MOUNT CABINET	6	530*400*300
	V 5309	GOMETAL 19" WALL MOUNT CABINET	9	530*400*450



General Features

- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Size: 530*400mm
- Thickness Options: 0.6/1.0mm
- Color options: RAL9004(Black)/RAL7035(Grey)
- Front door options: Glass and metal
- Accessories options: fan, Shelf , PDU
- The cabinets can be delivered as disassembled or assembled

General Features

- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- Material: SPCC Cold Rolled Steel
- Size: 600*450mm
- Thickness Options: 0.8/1.5mm
- Color options: RAL9004(Black)/RAL7035(Grey)
- Front door options: Glass and metal
- Accessories options: fan, Shelf , PDU
- Fully assembled



	Product code	Product Name	U	Size(W*D*H)(mm)
600*450 Series	GMV 6404	GOMETAL 19" WALL MOUNT CABINET	4	600*450*280
	GMV 6406	GOMETAL 19" WALL MOUNT CABINET	6	600*450*350
	GMV 6409	GOMETAL 19" WALL MOUNT CABINET	9	600*450*500
	GMV 6412	GOMETAL 19" WALL MOUNT CABINET	12	600*450*650
	GMV 6415	GOMETAL 19" WALL MOUNT CABINET	15	600*450*750
600*600 Series	GMV 6604	GOMETAL 19" WALL MOUNT CABINET	4	600*600*280
	GMV 6606	GOMETAL 19" WALL MOUNT CABINET	6	600*600*350
	GMV 6609	GOMETAL 19" WALL MOUNT CABINET	9	600*600*500
	GMV 6612	GOMETAL 19" WALL MOUNT CABINET	12	600*600*650
	GMV 6615	GOMETAL 19" WALL MOUNT CABINET	15	600*600*750

GM

GH1 SERIES Data Center Server Rack



- **Thickness Options:** 2.0-1.5-1.2mm
- **Color options:** RAL9004(Black) and RAL7035(Grey)
- **Front door options:** Single vented mesh
- **Rear door options:** Double vented mesh
- **Accessories options:**
Fans,PDU,shelf,cable manager,brush panel

- **Available sizes:**
Height: 18U 22U 24U 27U 32U 37U 42U 47U
Width: 600mm/800mm
Depth: 600mm/800mm/1000mm/1200mm

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- Nine-fold section steel frame
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- 2-fan,4-fan,6-fan modules have the ability to easily connect top of the product
- Material: SPCC Cold Rolled Steel
- Surface Finish:Powder coating
- Knock-off holes for cable on both top cover and bottom panel
- Turning angle of front door is over 180 degrees
- Fully Assembled



- **Thickness Options:** 2.0-1.5-1.2mm
- **Color options:** RAL9004(Black) and RAL7035(Grey)
- **Front door options:** Single vented mesh
- **Rear door options:** Double vented mesh
- **Accessories options:**
Fans,PDU,shelf,cable manager,brush panel

GM 42U SERVER RACK			
Model	Capacity	Width	Depth
GM8842	42U	800mm	800mm
GM8042	42U	800mm	1000mm
GM81242	42U	800mm	1200mm

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- 2-fan,4-fan,6-fan modules have the ability to easily connect top of the product;
- Material: SPCC Cold Rolled Steel
- Surface Finish:Powder coating•Two section removable side panels
- Knock-off holes for entering cable on both top cover and bottom panel
- Turning angle of front door is over 180 degrees
- The cabinets can be delivered as disassembled or assembled

GM **GH3 SERIES**
Data Center Server Cabinet



- **Thickness Options:** 2.0-1.5-1.2mm
- **Color options:** RAL7035(Grey)
- **door options:** Front opening door/front and rear opening door, outdoor cabinet specific lock (supports padlock)
- **Rear door options:** Double vented mesh Accessories
- **Available sizes:**
 - Height:** 18U 22U 24U 27U 32U 37U 42U 47U
 - Width:** 600mm/800mm
 - Depth:** 600mm/800mm/1000mm/1200mm

General Features

- Comply with ANSI/EIA RS-310-D, DIN41497 part 1, IEC297-2, DIN41494 part 7,GBIT3047.2-92 standard
- It has ability to assemble all kinds of electronic devices which are suitable of 19" standard
- 1-Cabinet body,1-air-conditioning,1-floodlight,1-door lock,1-Ground bar,20-screw
- Material: SPCC Cold Rolled Steel
- Surface Finish: Powder coating
- Steel plate+PEF insulation cotton/or (customized sandwich panel 50mm box body large)
- Turning angle of front door is over 180 degrees
- Overall/assembly

GM

GN SERIES
OTHER NETWORK EQUIPMENT



WALL MOUNT TV BRACKET



STANDING TV BRACKET



Outdoor Cabinets



Multimedia podium



Operation Tables



GM

QC before shipping

出货检验记录表																					
产品名称						检验数量		16				出货数量				抽样比例		全检		检验日期	
合同号						GM104/23															
序号	规格型号	SIZE	颜色	尺寸 (宽*高*深)	板厚/立柱	数量	前门/后门	配 件					外 观	唛 头	照片	判定结果					
							(前门)	立梁	托盘	风机	PDU	脚轮/地脚	表面喷涂均匀, 无颗粒、无凹陷	(产品LOGO、纸箱logo、纸箱贴唛头)							
1	墙壁柜VL	6u	黑色	600*600*350	0.8/1.5	2	钢化玻璃	4根	1	1 个 欧标塑料6-通用孔PDU		/				☐ 合格	☐ 不合格				
2	墙壁柜VL	9u	黑色	600*600*500	0.8/1.5	2	钢化玻璃	4根	1			/				☐ 合格	☐ 不合格				
3	墙壁柜VL	12u	黑色	600*600*650	0.8/1.5	2	钢化玻璃	4根	1			4个脚轮				☐ 合格	☐ 不合格				
4	墙壁柜VL	15u	黑色	600*600*750	0.8/1.5	2	钢化玻璃	4根	1			4个脚轮				☐ 合格	☐ 不合格				
5	站立柜	18U	黑色	600*600*1000	0.8/1.5	2	钢化玻璃	4根	1			4个脚轮+4个地角				☐ 合格	☐ 不合格				
6	站立柜	22U	黑色	600*600*1200	0.8/1.5	2	钢化玻璃	4根	1			4个脚轮+4个地角				☐ 合格	☐ 不合格				
7	站立柜	27U	黑色	600*600*1400	0.8/1.5	2	钢化玻璃	4根	1			4个脚轮+4个地角				☐ 合格	☐ 不合格				
8	站立柜	42U	黑色	600*600*2000	0.8/1.5	2	钢化玻璃	4根	2			4个脚轮+4个地角				☐ 合格	☐ 不合格				
	搭配一些比例的配件																				

